oth 6	Contents 7	Reference to last Measurement 8
	7th cross	8th cross
		Annigeri Anugraha Police Station Road
	ce Station Road	

JE

Assistant Executive Engineer
Kodigehalli Sub Division,

1st & Final bill
BR-163/20-9-15

M.A.R. 57 (Rule 116)

Measurement Book

No. A/10 188245

Serial No. Recorded on 22/9/2015

Name of work. Improvements & Roads, Road Drains in Annigeri Anugraha Layout 'C' Extn Cross

Name of Contractor of nature of Agency. Road in ward no 7 Byatarayanapura Kodigenahalli

Date of commencement of work. Sub division. Est Cost Rs. 50.00 Lakhs

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Job No 007-14-000056.						
	A/c No: Addl Com Cy) A/c No/783/13-14						
	TS No: EE/BTP/TS No/250/13-14.						
	Work order No: EE/BTP/BBMP/E·PH7/80/15-16.						
	Agency: Nirugana gowda. V. patil						
	Ag. No: EE/BTP/Ag No/80/15-16						
(1).	Removing & B.S-slab and stacking.						
	Recorded in this MB vide P. No. 188289.						
	Qty: 2818.20 Sqm. @ Rs.		58.32/Sqm			Rs	163395=00
	Limit to 2801.70 Sq						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
2)	Refixing stone slab of drains and pointing in Cm 1:3.						
	6th Cross	2	56.20	1.65	—	185.46	
	7th Cross	2	59.0	1.65	—	194.70	
	8th Cross	2	56.60	1.65	—	186.78	
	4th Cross	2	119.50	1.65	—	394.35	
		2	124.20	1.65	—	409.86	
	5th Cross	2	24.0	1.65	—	79.20	
		2	126.60	1.65	—	417.78	
	Cross Road	2	24.30	1.65	—	80.19	
		2	30.0	1.65	—	99.0	
		2	32.60	1.65	—	107.58	
	Centre Main Road	2	35.0	1.65	—	115.50	
					Totally	2270.40	
	Limit to 2241.36 Sqm. @ Rs 75.60/Sqm					Rs	1,69,447=00
3)	Providing Granite slab of Selected Quality Roughly dressed						

Serial No.....

Name of work.....

Name of Contractor of nature of Agency...

Date of commencement of work.....

Date	Full description, etc, of work
1	2
	and fixing in Cm 1:6.
	1st Cross.
	3rd Cross
	Limit to 560.38
4)	Earth work Excavation by
	horizontal through up to
	2m and an Avg lift
	Qty recorded in this
	Qty = 324.70 Cum

OK

	Depth 6	Contents 7	Reference to last Measurement 8
		in cm 1:3 .	
	—	185.46	
	—	194.70	
	—	186.78	
	—	394.35	
	—	409.86	
	—	79.20	
	—	417.78	
	—	80.19	
	—	99.0	
	—	107.56	
	—	115.50	
		Totally 2270.40	
75.60/Sqm		Rs	1,69,447=00
Roughly dressed			

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188246

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	and fixing in cm 1:6.	including fixing Curing etc complete					
	Ist Cross.	2	98.60	1.65	—	325.38	
	3rd Cross	2	80.0	1.65	—	264.0	
						Totally 589.38	
		Limit to 560.38 Sqm		@Rs 639.36/Sqm		Rs	3,58,259=00
4)	Earth work Excavation By Manual means in O.soil including all lead Avg horizontal through up to 2m and an Avg horizontal through up to 2m and an Avg lift upto 0.15m & Consolidated & trim etc complete						
	Qty recorded in this MB vide p.no 188289						
	Qty = 324.70 cum	Limit to 305.64 cum					
		@Rs 75.60/cum				Rs	23106=00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
5)	Scoury fying Existing Granular Road Surface to a depth of 50mm and disposal of Scourifying Material with all lifts and lead up to 1000m. Complete as per Specification Qty Recorded in this MB vide. P.no 188892 Qty 6669.84 Sq mt limit to 6652.00 sqm. @ Rs 18.36/Sqmt					Rs	122,131=00
6)	Compaction of original Ground with Maximum pass of 8 to 10T Road power Roller including filling in depression occurring during Rolling including cost of all labour etc complete. Qty is same as item no (5) 6669.84 Sqmt limit to 6652.00 Sqmt @ Rs 4.48/Sqmt					Rs	29801=00
7)	providing laying spreading and compacting graded stone aggregate to wet mix Macadam Specification including per Mixing the Material with water at OMC in Mechanical Mix plant etc complete as per Specification						

Serial No.....

Name of work.....

Name of Contractor of nature of Agenc

Date of commencement of work.....

Date	Full description, etc, of work
1	2
	Qty Recorded in this M Qty = 1333.97 cub lim
8)	providing and applyi on prepared Surface Road Surface and Sqm by Mechanical Qty is same as Item limit to 6652.0
9)	providing and layi batch producing an A

Depth 6	Contents 7	Reference to last Measurement 8
a depth @ 50mm		
lifts and lead		
88922		
	Rs	122,131=00
@ 8 to 10T Road		
wearing during		
ate.		
	Rs	29801=00
ng graded		
ation including		
ni Mechanical		

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188247

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Qty Recorded in this MB vide p.no 188294. Qty = 1333.97 cub limit to 1330.40 cub @ Rs 1438.56 cub					Rs	1913866=00
8)	providing and applying primer coat with bitumen Emulsion on prepared Surface of Granular base including cleaning of Road Surface and sprording primer at the rate @ 0.60 kg/ Sq.mt by Mechanical Mean etc complete as per Specifications Qty is same as Item No (5). Qty = 6669.84 Sq.mt limit to 6652.00 Sq.mt @ Rs 38.03/Sq.mt					Rs	252976=00
9)	providing and laying SDBC of 25mm thick with 100-120 TPH batch producing and Avg output of 75 T./hrs Crushed aggregate						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	of specified graded with bituminous binder at 4.5 to 5% of mix and filtered with bituminous mix Transportation the hot mix to work site laying with hydraulic pavers finishers with sensor Controls of the required vibrator and tandem Roller to achive the desired Compactions. etc Complete as per specifications.						
	Amuthavayar police station Road (E-W)	1	30.0	$\frac{6.40+6.10}{2}$	0.03	4.69	
		1	30.0	$\frac{6.1+6.0}{2}$	0.03	4.54	
		1	30.0	$\frac{6.0+5.40}{2}$	0.03	4.28	
		1	30.0	$\frac{5.4+5.25}{2}$	0.03	3.99	
		1	30.0	$\frac{5.25+5.50}{2}$	0.03	4.03	
		1	16.0	$\frac{5.5+5.30}{2}$	0.03	2.16	
	6th Cross (S-N)	1	30.0	$\frac{4.3+4.20}{2}$	0.03	3.26	
		1	26.20	4.40	0.03	2.88	

C&FC

Rough.

S.O. (ஸ்ரீ.ஒ)

M.A

Serial No.....

Name of work.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Numb
1	2	3
	7th Cross (N-S)	1
		1
	8th Cross (S-N)	1
		1
	4th Cross	1
		1
		1
		1
		1
		1
	4th Cross (E-W)	1

Depth 6	Contents 7	Reference to last Measurement 8
+ 4.5	to 5%.	
erstation	tile	
ers	finishers	
d tenders		
plete	as per	
.03	4.69	
03	4.54	
.03	4.28	
.03	3.99	
.03	4.03	
.03	2.16	
.03	3.26	
.03	2.88	

C&FC

Recd.

S.D. (illegible)

M.A.R. 57 (Rule 116)

Measurement Book

No. A/10 1. 188249

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	7th cross (N-S)	1	30.0	$\frac{4.3+4.0}{2}$	0.03	2.11 Cut	
		1	29.0	$\frac{4.0+4.2}{2}$	0.03	2.97	
	8th cross (S-N)	1	30.0	$\frac{5.1+4.0}{2}$	0.03	3.41	
		1	26.60	$\frac{4.0+3.8}{2}$	0.03	2.59	
	4th cross	1	30.0	$\frac{6.4+5.5}{2}$	0.03	4.46	
		1	24.70	5.50	0.03	3.40	
		1	19.80	4.50	0.03	2.23	
		1	30.0	6.0	0.03	4.50	
		1	15.0	4.90	0.03	1.84	
	4th cross (E-W)	1	30.0	$\frac{6.9+6.40}{2}$	0.03	4.99	

C&FC

Recd.

S.D. (illegible)

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.0	$\frac{6.40+5.20}{2}$	0.03	4.158	
		1	30.0	$\frac{5.8+5.0}{2}$	0.03	4.105	
		1	30.0	$\frac{5+5.30}{2}$	0.03	3.86	
		1	4.20	5.30	0.03	0.56	
	5th Cross (E-W)	1	24.0	$\frac{5.6+4.80}{2}$	0.03	3.12	
		1	30.0	$\frac{4.35+4.50}{2}$	0.03	3.32	
		1	30.0	$\frac{4.5+4.90}{2}$	0.03	3.53	
		1	30.0	$\frac{4.9+5.20}{2}$	0.03	3.79	
		1	30.0	5.20	0.03	3.90	
		1	6.60	5.20	0.03	0.86	
	Cross Road (N-S)	1	24.30	$\frac{5.8+4.90}{2}$	0.03	3.25	
		1	30.0	$\frac{5.1+5.40}{2}$	0.03	3.94	

CBEC
Sawant
S.E. (W.R.D)

Serial No.....

Name of work.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Nu
1	2	
	Centre Main Road (S-N)	
	I^st Cross (E-W)	

epth 6	Contents 7	Reference to last Measurement 8
03	4.58	
03	4.05	
03	3.86	
03	0.56	
03	3.12	
03	3.32	
03	3.53	
03	3.79	
03	3.90	
03	0.86	
03	3.25	
03	3.94	

CBEC

Sanuff

S.D. (W.B)

M.A.R. 57 (Rule 116)

Measurement Book

No. A/10

1 188 49

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Centre Main Road (S-N)	1	30.0	$\frac{5.2+5.3}{2}$	0.03	3.94	
		1	2.60	5.20	0.03	0.34	
		1	30.0	$\frac{5.2+6.3}{2}$	0.03	4.31	
		1	30.0	$\frac{6.3+6.1}{2}$	0.03	4.65	
		1	30.0	$\frac{6.1+6.2}{2}$	0.03	4.61	
		1	30.0	$\frac{6.2+6.4}{2}$	0.03	4.73	
		1	30.0	$\frac{6.4+6.3}{2}$	0.03	4.61	
		1	14.0	$\frac{6.3+6.7}{2}$	0.03	2.28	
	Ist Cross (E-W)	1	30.0	$\frac{5.4+4.9}{2}$	0.03	3.86	

CBEC

Sanuff

S.D. (W.B)

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.0	$\frac{4.9+4.5}{2}$	0.03	3.53	C&EC
		1	30.0	$\frac{4.5+4.4}{2}$	0.03	3.34	
		1	8.60	$\frac{4.4+4.3}{2}$	0.03	0.94	
	3rd Cross (E-W)	1	30.0	$\frac{5.5+6.0}{2}$	0.03	4.31	
		1	30.0	$\frac{6.0+6.2}{2}$	0.03	4.20	
		1	30.0	5.20	0.03	3.90	
		1	30.0	$\frac{5.2+7.0}{2}$	0.03	4.58	
		1	1.0	5.0	0.03	0.13	
	Cross Road (N-S)	1	20.0	6.0	0.03	3.00	
		1	25.0	5.50	0.03	3.44	
					Totally	166.75 cum	
	Limit to 166.30 Sqm @ Rs 8898.12/cum					Rs 14,79,757-00	

M.A.

Serial No.....

Name of work.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number
1	2	3
10)	Road Metaling with hot a with Selected Glass Beads providing 250 gram. per sq Surface applied glass Specifications	
	police station Road	2
	6th Cross	2
	7th cross	2
	8th cross	2
	4th cross	2
		2

K

	Depth 6	Contents 7	Reference to last Measurement 8
	0.03	3.53	
	0.03	3.34	
3	0.03	0.94	
	0.03	4.31	
	0.03	4.20	
	0.03	3.90	
	0.03	4.58	
	0.03	0.13	
	0.03	3.00	
	0.03	3.44	
		totally 166.75 sq m	
		Rs	14,79,757-00

C&EC
Saved
S.O. (Mgt.D)

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188250

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
10)	Road Marking with hot applied Thermoplastic Compound with Retroreflective Glass Beads on Bituminous Surface providing 250 gram per sq.m. thickness of 2.5 mm & Surface applied glass beads etc complete as per specifications						
	police station Road	2	166.0	0.10	–	33.20 sq m	
	6th cross	2	56.20	0.10	–	11.24	
	7th cross	2	59.0	0.10	–	11.80	
	8th cross	2	56.60	0.10	–	11.32	
	4th cross	2	119.50	0.10	–	23.90	
		2	124.20	0.10	–	24.84	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	5th Cross	2	124.20	0.10	—	24.84	
		2	24.0	0.10	—	4.80	
		2	126.60	0.10	—	25.32	
	Cross Road	2	24.30	0.10	—	4.86	
		2	30.0	0.10	—	6.0	
		2	32.60	0.10	—	6.52	
	Centr Main Road	2	35.0	0.10	—	7.0	
					Totally	170.80 Sqm	
	Limited to 169.10 Sqmt		@ Rs 478.20 Sqmt			Rs 80,864=00	
11)	Earth work Excavation for foundation & Buildings						
	cutting in pits and Trench 1.5m and above in ordinary soil not Exceeding 1.5m in depth including dressing						
	etc complete as per specifications						
	CD1	1	8.0	2.0	0.90	14.40	

Serial No.....

Name of work.....

Name of Contractor of nature of Agency...

Date of commencement of work.....

Date	Full description, etc, of work	N
1	2	
	CD_2	
	CD_3	1
	CD_4	
	limit to 51.84 cubic	
12)	providing and laying	
	Cement @ 220 kgs with	
	granite metal coarse	
	for Beds	

OOK

adth 5	Depth 6	Contents 7	Reference to last Measurement 8
10	—	24.84	
0	—	4.80	
0	—	25.32	
0	—	4.86	
0	—	6.0	
0	—	6.52	
	—	7.0	
Totally		170.804	
of 8 cm		Rs	80,864=00
Buildings			
above in ordinary			
luding dressing			
	0.90	14.40	

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188251

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	CD_2	1	8.10	2.0	0.90	14.58	
	CD_3	1	8.10	1.90	0.90	13.85	
	CD_4	1	8.20	2.0	0.90	14.76	
					Totally	57.59 Cubic	
						Rs	9126=00
	limit to 51.84 cubic	@Rs 176.04/cubic					
12)	providing and laying in pce of mix 04:10. with OPC cement @ 220 kgs with 40 mm and down size graded granite metal coarse aggregate as per specification for Beds						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CD_1	1	8.0	2.00	0.15	2.40	
	CD_2	1	8.10	2.00	0.15	2.43	
	CD_3	1	8.10	1.90	0.15	2.31	
	CD_4	1	8.20	2.0	0.15	2.46	
					Totally	9.60 Cub	
	limit to 8.64 Cub @ Rs 5064.12/ Cub					Rs	43,754=00
13)	providing and Constructing Granite Soft in foundations with CM 1:6 Stone Hammer dressed in Course not less than 20 cm height bond Stones at 2m apart in each Course etc complete as per Specifications						
	CD_1	2	8.0	0.45	0.75	5.40 Cub	
	CD_2	2	8.10	0.45	0.75	5.47	
	CD_3	2	8.10	0.45	0.90	6.56	
	CD_4	2	8.20	0.45	0.90	6.64	
					Totally	24.07 Cub	

Serial No.....

Name of work.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Nu
1	2	
	limitted to 23.04 Cub	
14)	providing and Remov	
	protting etc and Remov	
	plinth etc complete as pe	
	CD_1	
	CD_2	

Depth 6	Contents 7	Reference to last Measurement 8
0.15	2.40	
0.15	2.43	
0.15	2.37	
0.15	2.46	
tally	9.60 Cum	
	Rs	43,754=00
...sed in foundations		
...verse not less		
...ment in each		
...tions		
0.75	5.40 Cum	
0.75	5.47	
0.90	6.56	
0.90	6.64	
tally	24.07 Cum	

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188352

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	limited to 23.04 cum @ Rs 3836.16 / cum					Rs	88385=00
14)	providing and Removing Centering shuttering						
	protting etc and Removal of from work for Foundation and						
	plinth etc complete as per Specifications						
	CD1	2	8.0	0.23	–	3.68	
		2	2.0	0.23	–	0.92	
		1	8.0	0.60	–	4.80	
	CD2	2	8.10	0.23	–	3.73	
		2	2.0	0.23	–	0.92	
		1	8.10	0.60	–	4.86	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CD_3	2	8.10	0.23	—	3.732	
		2	2.0	0.23	—	0.92	
		1	8.10	0.60	—	4.86	
	CD_4	2	8.20	0.23	—	3.77	
		2	2.0	0.23	—	0.92	
		1	8.20	0.60	—	4.92	
					Totally	38.025 Sqm	
	limitted to 33.55 Sqmts @ 236.52/Sqm					Rs 7935=00.	
15)	providing and laying C.C. 20mm and down size granite Jelly of RCC work laid in 15cm thick layer and well compacted including vibrating curing etc complete						
	CD_1	1	8.0	2.0	0.23	3.68	
	CD_2	1	8.10	2.0	0.23	3.73	

Serial No.....

Name of work.....

Name of Contractor of nature of Agency

Date of commencement of work.....

Date	Full description, etc, of work
1	2
	CD_3
	CD_4
	limitted to 13.25 cub
16)	providing THT ste straigtening cutting or welding labour with Annealing to de as per Specification

Depth 6	Contents 7	Reference to last Measurement 8
—	3.738	
—	0.92	
—	4.86	
—	3.77	
—	0.92	
—	4.92	
lly	38.028 Qty	
qm	Rs	7935=00.
down	Size	
thick	Layer	
ing	Curing	
.23	3.68	
.23	3.73	

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188253

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	CD_3	1	8.10	2.0	0.23	3.73	
	CD_4	2 / 1	8.20	2.0	0.23	3.77	
					Totally	14.90 Sqm	
	limited to 13.25 cum @ Rs 5847.12/cum					Rs	77,474=00
16)	providing THT steel reinforcement for RCC works including straightening cutting bending hooking placing lapping or welding wherever required tying with binding wire Anchoring to the adjoining member etc complete as per Specification etc						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Qty Recorded in this MB vide p.No. 188295						
	12mm ϕ 536.80 kg x 0.888 kg/mt					= 476.68 kgs	
	16mm ϕ 536.80 kg x 1.66 kg/mm					= 858.88 kg	
						Totally 1335.56 kgs	
	≈ 1.33 Tons limitted to 1.32 T. @ Rs 78351.84/T					Rs	1,03,424=00.
17)	providing Ruled pointing to coarse aggregate for Stone masonry wall in CM 1:3 of 20mm deep after Raking joints including Cost of material etc complete as per Spec & conditions.						
	CD1	2	8.0	0.60	–	9.60	
	CD2	2	8.10	–	0.60	9.72	
	CD3	2	8.10	–	0.60	9.72	

Serial No.....

Name of work.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Nu
1	2	
	CD4	
	limited to 19.20 Sq	
	Qty is same as	
	limit to 327.00 cum	
	Accepted all measurements	
	w/s Full & final settlement	

OOK

dth	Depth 6	Contents 7	Reference to last Measurement 8
	188295		
1900	=	476.68 Kgs	
mm	=	858.88 Kgs	
	Totally	1335.56 Kgs	
T.			
		Rs 1,03,424=00.	
ete aggregate			
& Roman deep			
t & material etc			
60	—	9.60	
	0.60	9.72	
	0.60	9.72	

M.A.R. 57 (Rule 116)

Measurement Book No. A/10 188354

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	CD Work	2	8.20	—	0.60	9.84	
					Totally	38.88 cum	
						Rs	1783=00
	Limited to 19.20 Sqm @ Rs 92.88/Sqm						
	Cost of disposal of Debris shall be payable at Carriage						
	Hulavi ear clean.						
	Qty is Less as item no (4) - 324.70 and item no (11) - 57.59						
	Totally 381.99 cum						
	Limited to 327.00 cum @ Rs 72.71/cum					Rs	23776=00
	Accepted all measurements with Full & final settlements.					Total Amount	49,49,258=00

Assistant Executive Engineer

Executive Engineer

22/9/15

MEASUREMENT BOOK

Date	Full description	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
					IT — 49493 —		
					ICT — 197911 —		
					FD — 321303 —		
					Cess — 49493 —		
					CD — 49493 —		
					Roy — 89836 —		
					Total — 713445=00		
	ಬಿಲ್ಲು ಮೊಬಲಗು: ರೂ 494928=00						
	ಗಳಿಕೆಯಾದ ಮನವಿದೆ: ಇದರಲ್ಲಿ ರೂ 713445=00						
	ಹೊಂದಾಣಿಕೆ ಮಾಡಿಕೊಂಡು ಉಳಿದ ಮೊಬಲಗು						
	ರೂ 423583=00						
	ಚೆಕ್ ಮುಖಾಂತರ ಬಿಡಲಾಗಿದೆ						
	ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ / ಲೆಕ್ಕಾಧಿಕಾರಿ						
	ಬಾಗಲಕೋಟೆ ಮಿಶ್ರಾಗ						
	ಕೃ. ಬ. ಮು. ಪಾ						

M.A.

Me

Serial No.....

Name of work.....F

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number
1	2	3

Anjuthimanger 'G' Sector.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



Assistant Executive Engineer
Kodigehalli Sub Division,

1st & Final bill
BR-163/20

Serial No..... Recorded on

Name of work..... Improvements

Name of Contractor of nature of A

Date of commencement of work.

Date	Full description, etc, of wo
1	2
	Job No 007-14-0
	A/c No: Add Com Cy
	TS No: EE/BTP/ T
	Work order No: EE/
	Agency: Nirugan
	Ag. No: EE/BTP/A
(1).	Removing & B.S
	~~Qty~~ Recorded in this
	~~Qty~~ : 2818.20 Sq
	limit to 2801.